



มาตรฐานผลิตภัณฑ์อุตสาหกรรม

THAI INDUSTRIAL STANDARD

มอก. 1543 – 2553

IEC 60335 – 2 – 52 (2008 – 07)

ความปลอดภัยของเครื่องใช้ไฟฟ้า
สำหรับใช้ในที่อยู่อาศัยและงานที่มีลักษณะคล้ายกัน
ข้อกำหนดเฉพาะสำหรับเครื่องสุขอนามัยช่องปาก

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES - SAFETY -
PART 2-52 : PARTICULAR REQUIREMENTS FOR ORAL HYGIENE APPLIANCES

สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

กระทรวงอุตสาหกรรม

ICS 13.120.97.170

ISBN 978-616-231-125-3

มาตรฐานผลิตภัณฑ์อุตสาหกรรม
ความปลอดภัยของเครื่องใช้ไฟฟ้า
สำหรับใช้ในที่อยู่อาศัยและงานที่มีลักษณะคล้ายกัน
ข้อกำหนดเฉพาะสำหรับเครื่องสุขอนามัยช่องปาก

มอก. 1543 – 2553

สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
กระทรวงอุตสาหกรรม ถนนพระรามที่ 6 กรุงเทพฯ 10400
โทรศัพท์ 02 202 3300

ประกาศในราชกิจจานุเบกษาฉบับประกาศและงานทั่วไปเล่ม 128 ตอนพิเศษ 3 ง
วันที่ 12 มกราคม พุทธศักราช 2554

มาตรฐานผลิตภัณฑ์อุตสาหกรรมความปลอดภัยของเครื่องใช้ไฟฟ้าสำหรับใช้ในที่อยู่อาศัยและงานที่มีลักษณะคล้ายกัน
ข้อกำหนดเฉพาะสำหรับเครื่องสุขอนามัยช่องปาก นี้ได้ประกาศใช้ครั้งแรกเป็นมาตรฐานเลขที่ มอก.1543-2541
ในราชกิจจานุเบกษา ฉบับประกาศทั่วไป เล่ม 116 ตอนที่ 72 ง วันที่ 9 กันยายน พุทธศักราช 2542 ต่อมาได้พิจารณา
เห็นสมควรแก้ไขปรับปรุงเพื่อให้ทันสมัยและเป็นไปตามเอกสารอ้างอิงฉบับล่าสุด จึงได้แก้ไขปรับปรุงโดยการยกเลิก
มาตรฐานเดิมและกำหนดมาตรฐานนี้ขึ้นใหม่

มาตรฐานผลิตภัณฑ์อุตสาหกรรมนี้กำหนดขึ้นโดยรับ IEC 60335-2-52(2008-07) Household and similar
electrical appliances – Safety – Part 2-52: Particular requirements for oral hygiene appliances มาใช้ในระดับ
เหมือนกันทุกประการ (identical) โดยใช้ IEC ฉบับภาษาอังกฤษเป็นหลัก

มาตรฐานผลิตภัณฑ์อุตสาหกรรมนี้กำหนดขึ้นเพื่อให้ทันกับความต้องการของผู้ใช้ และจักได้แปลเป็นภาษาไทย
ในโอกาสอันควร หากมีข้อสงสัยโปรดติดต่อสอบถามที่สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

คณะกรรมการมาตรฐานผลิตภัณฑ์อุตสาหกรรมได้พิจารณามาตรฐานนี้แล้ว เห็นสมควรเสนอรัฐมนตรีประกาศตาม
มาตรา 15 แห่งพระราชบัญญัติมาตรฐานผลิตภัณฑ์อุตสาหกรรม พ.ศ. 2511



ประกาศกระทรวงอุตสาหกรรม

ฉบับที่ 4258 (พ.ศ. 2553)

ออกตามความในพระราชบัญญัติมาตรฐานผลิตภัณฑ์อุตสาหกรรม

พ.ศ. 2511

เรื่อง ยกเลิกและกำหนดมาตรฐานผลิตภัณฑ์อุตสาหกรรม

ความปลอดภัยของเครื่องใช้ไฟฟ้าสำหรับใช้ในที่อยู่อาศัยและงานที่มีลักษณะคล้ายกัน

ข้อกำหนดเฉพาะสำหรับเครื่องสุxonามัยช่องปาก

โดยที่เป็นการสมควรปรับปรุงมาตรฐานผลิตภัณฑ์อุตสาหกรรม ความปลอดภัยของเครื่องใช้ไฟฟ้าสำหรับใช้ในที่อยู่อาศัยและงานที่มีลักษณะคล้ายกัน ข้อกำหนดเฉพาะสำหรับเครื่องสุxonามัยช่องปาก มาตรฐานเลขที่ มอก.1543-2541

อาศัยอำนาจตามความในมาตรา 15 แห่งพระราชบัญญัติมาตรฐานผลิตภัณฑ์อุตสาหกรรม พ.ศ. 2511 รัฐมนตรีว่าการกระทรวงอุตสาหกรรมออกประกาศยกเลิกประกาศกระทรวงอุตสาหกรรม ฉบับที่ 2457 (พ.ศ.2542) ออกตามความในพระราชบัญญัติมาตรฐานผลิตภัณฑ์อุตสาหกรรม พ.ศ.2511 เรื่อง กำหนดมาตรฐานผลิตภัณฑ์อุตสาหกรรม ความปลอดภัยของเครื่องใช้ไฟฟ้าสำหรับใช้ในที่อยู่อาศัยและงานที่มีลักษณะคล้ายกัน ข้อกำหนดเฉพาะ สำหรับเครื่องสุxonามัยช่องปาก ลงวันที่ 17 มิถุนายน พ.ศ.2542 และออกประกาศกำหนดมาตรฐานผลิตภัณฑ์อุตสาหกรรม ความปลอดภัยของเครื่องใช้ไฟฟ้าสำหรับใช้ในที่อยู่อาศัยและงานที่มีลักษณะคล้ายกัน ข้อกำหนดเฉพาะสำหรับเครื่องสุxonามัยช่องปาก มาตรฐานเลขที่ มอก.1543-2553 ขึ้นใหม่ ดังมีรายละเอียดต่อท้ายประกาศนี้

ทั้งนี้ให้มีผลตั้งแต่วันถัดจากวันที่ประกาศในราชกิจจานุเบกษา เป็นต้นไป

ประกาศ ณ วันที่ 8 กันยายน พ.ศ. 2553

ชัยวุฒิ บรรณวัฒน์

รัฐมนตรีว่าการกระทรวงอุตสาหกรรม

มาตรฐานผลิตภัณฑ์อุตสาหกรรม ความปลอดภัยของเครื่องใช้ไฟฟ้า สำหรับใช้ในที่อยู่อาศัยและงานที่มีลักษณะคล้ายกัน ข้อกำหนดเฉพาะสำหรับเครื่องสุขอนามัยช่องปาก

มาตรฐานผลิตภัณฑ์อุตสาหกรรมนี้กำหนดขึ้นโดยรับ IEC 60335-2-52(2008-07) Household and similar electrical appliances – Safety – Part 2-52: Particular requirements for oral hygiene appliances มาใช้ในระดับเหมือนกันทุกประการ (identical) โดยใช้ IEC ฉบับภาษาอังกฤษเป็นหลัก

มาตรฐานผลิตภัณฑ์อุตสาหกรรมนี้ต้องใช้ร่วมกับมาตรฐานผลิตภัณฑ์อุตสาหกรรม ความปลอดภัยของเครื่องใช้ไฟฟ้า สำหรับใช้ในที่อยู่อาศัยและเครื่องใช้ไฟฟ้าอื่นที่คล้ายกัน ข้อกำหนดทั่วไป มาตรฐานเลขที่ มอก.1375-2547

มาตรฐานผลิตภัณฑ์อุตสาหกรรมนี้กำหนดคุณลักษณะที่ต้องการด้านความปลอดภัยของเครื่องสุขอนามัยช่องปากไฟฟ้า ที่ใช้ในที่อยู่อาศัยและงานที่มีลักษณะคล้ายกัน มีแรงดันไฟฟ้าที่กำหนดไม่เกิน 250 โวลต์

หมายเหตุ 101 ตัวอย่างของเครื่องสุขอนามัยช่องปากที่ครอบคลุมโดยมาตรฐานผลิตภัณฑ์อุตสาหกรรมนี้ ได้แก่

- เครื่องฉีดน้ำทำความสะอาดช่องปาก
- แปรงสีฟันไฟฟ้า

ตราประทับที่เป็นไปได้ในทางปฏิบัติ มาตรฐานผลิตภัณฑ์อุตสาหกรรมนี้เกี่ยวข้องกับอันตรายทั่วไปที่เกิดจากเครื่องสุขอนามัยช่องปากซึ่งทุกคนเผชิญทั้งภายในและรอบๆ ที่อยู่อาศัย อย่างไรก็ตาม โดยทั่วไปมาตรฐานนี้ไม่ได้คำนึงถึง

- บุคคล (รวมถึงเด็กเล็ก) ผู้ซึ่ง
 - มีความบกพร่องทางด้านร่างกาย การรับรู้ หรือจิตใจ หรือ
 - ขาดความรู้หรือประสบการณ์

ป้องกันบุคคลเหล่านี้จากการใช้งานเครื่องสุขอนามัยช่องปากโดยไม่ได้รับการดูแล

- การเล่นเครื่องสุขอนามัยช่องปากโดยเด็กเล็ก

หมายเหตุ 102 ข้อควรคำนึง

- เครื่องสุขอนามัยช่องปากที่เจตนาให้ใช้งานในยานพาหนะ บนเรือ หรือบนเครื่องบิน อาจจำเป็นต้องมีข้อกำหนดเพิ่มเติม
- ข้อกำหนดเพิ่มเติมอาจจะระบุโดยกระทรวงสาธารณสุข กระทรวงแรงงาน และองค์กรที่คล้ายกัน

หมายเหตุ 103 มาตรฐานผลิตภัณฑ์อุตสาหกรรมนี้ไม่ครอบคลุมถึงเครื่องสุขอนามัยช่องปากที่เจตนาให้ใช้ในทางการแพทย์ (IEC 60601)

มาตรฐานผลิตภัณฑ์อุตสาหกรรมนี้กำหนดบทนิยาม ข้อกำหนดทั่วไป ภาวะทั่วไปสำหรับการทดสอบ การจำแนกประเภท การทำเครื่องหมายและฉลาก และข้อแนะนำ การป้องกันการเข้าถึงส่วนที่มีไฟฟ้า การเริ่มเดินเครื่องใช้ไฟฟ้าทำงานด้วยมอเตอร์ กำลังไฟฟ้าเข้าและกระแสไฟฟ้า การเกิดความร้อน กระแสไฟฟ้ารั่วและความทนทานไฟฟ้าที่อุณหภูมิทำงาน แรงดันไฟฟ้าเกินชั่วคราว ความต้านทานต่อความชื้น กระแสไฟฟ้ารั่วและความทนทานไฟฟ้า การป้องกันโหลดเกินของหม้อแปลงไฟฟ้าและวงจรไฟฟ้าที่เกี่ยวข้อง ความทนทาน การทำงานผิดปกติ เสถียรภาพและอันตรายทางกล ความแข็งแรงทางกล การสร้าง สายไฟฟ้าภายใน ส่วนประกอบ การต่อกับแหล่งจ่ายไฟฟ้าและสายอ่อนภายนอก ขั้วต่อสายสำหรับตัวนำภายนอก การเตรียมการสำหรับการต่อลงดิน หมุดเกลียวและจุดต่อระยะห่างในอากาศ ระยะห่างตามผิวฉนวน และฉนวนตัน ความทนความร้อนและไฟ ความต้านทานการเป็นสนิมและการแผ่รังสี ความเป็นพิษ และอันตรายที่คล้ายกัน รายละเอียดให้เป็นไปตาม IEC 60335-2-52(2008-07)

© IEC 2008

เอกสารนี้เป็นสิทธิ์ของ IEC หากมิได้กำหนดไว้เป็นอย่างอื่นห้ามนำมาตรฐานฉบับนี้หรือ
ส่วนหนึ่งส่วนใดไปทำซ้ำหรือใช้ประโยชน์ในรูปแบบ หรือโดยวิธีใด ๆ ไม่ว่าจะเป็นรูปแบบ
อิเล็กทรอนิกส์หรือทางกล รวมถึงการถ่ายสำเนา ถ่ายไมโครฟิล์ม โดยไม่ได้รับอนุญาตเป็น
ลายลักษณ์อักษรจาก IEC ตามที่อยู่ข้างล่างหรือจากสมาชิก IEC ในประเทศของผู้ร้องขอ

IEC Central office

3, rue de Varembe',

CH-1211 Geneva 20

Switzerland

E-mail : inmail@iec.ch

Web : www.iec.ch

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope	6
2 Normative references	6
3 Definitions	6
4 General requirement.....	7
5 General conditions for the tests	7
6 Classification.....	7
7 Marking and instructions	7
8 Protection against access to live parts	7
9 Starting of motor-operated appliances.....	7
10 Power input and current.....	7
11 Heating	8
12 Void	8
13 Leakage current and electric strength at operating temperature	8
14 Transient overvoltages	8
15 Moisture resistance	8
16 Leakage current and electric strength	8
17 Overload protection of transformers and associated circuits	8
18 Endurance.....	8
19 Abnormal operation	8
20 Stability and mechanical hazards.....	9
21 Mechanical strength	9
22 Construction.....	9
23 Internal wiring.....	9
24 Components	10
25 Supply connection and external flexible cords	10
26 Terminals for external conductors	10
27 Provision for earthing.....	10
28 Screws and connections	10
29 Clearances, creepage distances and solid insulation	10
30 Resistance to heat and fire	10
31 Resistance to rusting	10
32 Radiation, toxicity and similar hazards	10
Annexes	11
Bibliography	11

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-52: Particular requirements for oral hygiene appliances

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This consolidated version of IEC 60335-2-52 consists of the third edition (2002) [documents 61/2221/FDIS and 61/2296/RVD] and its amendment 1 (2008) [documents 61/3546/FDIS and 61/3600/RVD].

The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience.

It bears the edition number 3.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

The French version of this standard has not been voted upon.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric oral hygiene appliances.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The following differences exist in the countries indicated below.

- 6.1: Class 0 appliances are allowed (Japan).
- 6.1: Appliances may have other classifications (USA).
- 7.12.1: Additional instructions are required (USA).
- 11.7: The duration and number of cycles are different (USA).
- 19.101: The test is different (USA).
- 22.36: Hand-held parts may be class 0 construction (Japan).

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of the amendment 1 be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-52: Particular requirements for oral hygiene appliances

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric oral hygiene appliances for household and similar purposes, their **rated voltage** being not more than 250 V.

NOTE 101 Examples of appliances covered by this standard are

- oral irrigators;
- toothbrushes.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities; or
 - lack of experience and knowledge
 prevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 103 This standard does not apply to appliances for medical purposes (IEC 60601).

2 Normative references

This clause of Part 1 is applicable.

3 Definitions

This clause of Part 1 is applicable except as follows.

3.1.9 *Replacement:*

normal operation

operation of the appliance under the following conditions

Oral irrigators are operated with the reservoir filled with water having a temperature of approximately 45 °C, to the level specified in the instructions. In the absence of such instructions, the reservoir is filled to the maximum level.

Other appliances are operated without load.

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable.

6 Classification

This clause of Part 1 is applicable except as follows.

6.1 *Modification:*

Appliances shall be **class II** or **class III**.

6.2 *Addition:*

Class II appliances shall be at least IPX7 except that parts intended to be fixed, and transformers with pins for insertion into socket-outlets, shall be at least IPX4.

Class III appliances shall be at least IPX4. However, if the **rated voltage** does not exceed 24 V, they may be IPX0.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.12.1 *Addition:*

The installation instructions shall state that parts that have to be fixed must be fixed so that they cannot fall into water, unless they are of IPX7 construction.

8 Protection against access to live parts

This clause of Part 1 is applicable.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable.

11 Heating

This clause of Part 1 is applicable except as follows.

11.7 Replacement:

Appliances are operated for five cycles, each cycle comprising an operating period of 3 min and a rest period of 1 min.

During the rest period, the reservoir of oral irrigators is refilled.

NOTE 101 If the reservoir empties during the operating period, it is refilled and the test is continued.

12 Void

13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable.

14 Transient overvoltages

This clause of Part 1 is applicable.

15 Moisture resistance

This clause of Part 1 is applicable.

16 Leakage current and electric strength

This clause of Part 1 is applicable.

17 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

18 Endurance

This clause of Part 1 is not applicable.

19 Abnormal operation

This clause of Part 1 is applicable except as follows.

19.1 Addition:

Class II oral irrigators are also subjected to the test of 19.101.

19.2 Addition:

The test is carried out without water in the reservoir.

19.101 *The hose is punctured within the enclosure of the appliance at the most unfavourable location. Rubber hoses are punctured by means of a 0,8 mm diameter needle. Thermoplastic hoses are punctured by means of a 0,5 mm diameter heated needle, care being taken not to enlarge the hole.*

NOTE When reassembling the appliance, sealants such as silicone rubber may be used to insure that the joints are watertight.

The appliance is operated as specified in Clause 11, but with water containing 1 % NaCl. During the last cycle of operation, the water pressure in the hose is increased to the maximum obtainable by blocking the water outlet. The pressure is then reduced to its normal value.

A vessel of insulating material is filled with the saline solution and the hand-held part of the appliance is immersed to a depth of approximately 100 mm. The appliance is operated without restricting the water flow until 30 s after the reservoir has emptied. During the test, the leakage current is measured, as specified in 13.2. It is measured between any pole of the supply and a rectangular stainless steel electrode, having dimensions approximately 250 mm x 50 mm, placed in the solution.

The leakage current shall not exceed 0,5 mA.

20 Stability and mechanical hazards

This clause of Part 1 is applicable.

21 Mechanical strength

This clause of Part 1 is applicable.

22 Construction

This clause of Part 1 is applicable except as follows.

22.36 Addition:

Hand-held parts shall be **class III construction** having a **working voltage** not exceeding 24 V.

22.101 Class II appliances shall be constructed so that parts intended to be fixed can be fixed securely, unless they are classified at least IPX7.

Compliance is checked by inspection.

NOTE Keyhole slots, hooks and similar means, without further means to prevent the appliance being inadvertently lifted off the support, are not considered to be adequate means for fixing the appliance securely.

23 Internal wiring

This clause of Part 1 is applicable.

24 Components

This clause of Part 1 is applicable.

25 Supply connection and external flexible cords

This clause of Part 1 is applicable except as follows.

25.5 *Addition:*

Type X attachment is not allowed for appliances classified IPX7.

Type Z attachment is allowed.

25.23 *Addition:*

Interconnection cords for parts of **class III construction** are not required to comply with the requirements for **supply cords**.

26 Terminals for external conductors

This clause of Part 1 is applicable.

27 Provision for earthing

This clause of Part 1 is not applicable.

28 Screws and connections

This clause of Part 1 is applicable.

29 Clearances, creepage distances and solid insulation

This clause of Part 1 is applicable.

30 Resistance to heat and fire

This clause of Part 1 is applicable except as follows.

30.2.3 Not applicable.

31 Resistance to rusting

This clause of Part 1 is applicable.

32 Radiation, toxicity and similar hazards

This clause of Part 1 is applicable.

Annexes

The annexes of Part 1 are applicable.

Bibliography

The bibliography of Part 1 is applicable except as follows.

Addition:

ISO 13732-1, *Ergonomics of the thermal environment – Methods for the assessment of human responses to contact with surfaces – Part 1: Hot surfaces*
