

มาตรฐานผลิตภัณฑ์อุตสาหกรรม

THAI INDUSTRIAL STANDARD

มอก. 2397 เล่ม 1-2551

ISO 8548-1: 1989

กายอุปกรณ์เทียมและกายอุปกรณ์เสริม-ส่วนแขนและขาที่ขาดไป

เล่ม 1 : วิธีการเรียกส่วนต่างๆของแขนและขาที่ขาดไปแต่กำเนิด

PROSTHETICS AND ORTHOTICS-LIMB DEFICIENCIES-

PART 1: METHOD OF DESCRIBING LIMB DEFICIENCIES PRESENT AT BIRTH

สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

มาตรฐานผลิตภัณฑ์อุตสาหกรรม กายอุปกรณ์เทียมและกายอุปกรณ์เสริม-ส่วนแขนและขาที่ขาดไป

เล่ม 1 : วิธีการเรียกส่วนต่างๆของแขนและขาที่ขาดไปแต่กำเนิด

มอก. 2397 เล่ม 1 – 2551

สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม กระทรวงอุตสาหกรรม ถนนพระรามที่ 6 กรุงเทพ 10400 โทรศัพท์ 0 2202 3300 กายอุปกรณ์เป็นอุปกรณ์ที่จำเป็นสำหรับผู้พิการ เพื่อช่วยให้ผู้พิการมีคุณภาพชีวิตที่ดี สามารถดำรงชีวิต และประกอบอาชีพได้เหมือนบุคคลปกติทั่วไป จึงกำหนดมาตรฐานผลิตภัณฑ์อุตสาหกรรม กายอุปกรณ์เทียม และกายอุปกรณ์เสริม-ส่วนแขนและขาที่ขาดไป เล่ม 1 : วิธีการเรียกส่วนต่าง ๆ ของแขนและขาที่ขาดไป แต่กำเนิด ขึ้น

มาตรฐานผลิตภัณฑ์อุตสาหกรรมนี้ กำหนดขึ้นโดยรับ ISO 8548-1: 1989 Prosthetics and orthotics-Limb deficiencies-Part 1: Method of describing limb deficiencies present at birth มาใช้ในระดับเหมือนกัน ทุกประการ (identical) โดยใช้ ISO ฉบับภาษาอังกฤษเป็นหลัก

มาตรฐานผลิตภัณฑ์อุตสาหกรรมนี้ กำหนดขึ้นเพื่อให้ทันกับความต้องการของผู้ใช้ และจักได้แปลเป็นภาษาไทย ในโอกาสอันสมควร หากมีข้อสงสัยโปรตติดต่อสอบถามที่สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

คณะกรรมการมาตรฐานผลิตภัณฑ์อุตสาหกรรมได้พิจารณามาตรฐานนี้แล้ว เห็นสมควรเสนอรัฐมนตรีประกาศตาม มาตรา 15 แห่งพระราชบัญญัติมาตรฐานผลิตภัณฑ์อุตสาหกรรม พ.ศ. 2511



ประกาศกระทรวงอุตสาหกรรม ฉบับที่ 3912 (พ.ศ. 2551)

ออกตามความในพระราชบัญญัติมาตรฐานผลิตภัณฑ์อุตสาหกรรม

พ.ศ. 2511

เรื่อง กำหนดมาตรฐานผลิตภัณฑ์อุตสาหกรรม กายอุปกรณ์เทียมและกายอุปกรณ์เสริม-ส่วนแขนและขาที่ขาดไป เล่ม 1: วิธีการเรียกส่วนต่าง ๆ ของแขนและขาที่ขาดไปแต่กำเนิด

อาศัยอำนาจตามความในมาตรา 15 แห่งพระราชบัญญัติมาตรฐานผลิตภัณฑ์อุตสาหกรรม พ.ศ.2511 รัฐมนตรีว่าการกระทรวงอุตสาหกรรมออกประกาศกำหนดมาตรฐานผลิตภัณฑ์อุตสาหกรรม กายอุปกรณ์เทียม และกายอุปกรณ์เสริม-ส่วนแขนและขาที่ขาดไป เล่ม 1 : วิธีการเรียกส่วนต่าง ๆ ของแขนและขาที่ขาดไปแต่กำเนิด มาตรฐานเลขที่ มอก. 2397 เล่ม 1-2551 ไว้ ดังมีรายการละเอียดต่อท้ายประกาศนี้

ประกาศ ณ วันที่ 16 ตุลาคม พ.ศ. 2551

พลตำรวจเอก ประชา พรหมนอก
รัฐมนตรีว่าการกระทรวงอุตสาหกรรม

มาตรฐานผลิตภัณฑ์อุตสาหกรรม กายอุปกรณ์เทียมและกายอุปกรณ์เสริม-ส่วนแขนและขาที่ขาดไป

เล่ม 1 : วิธีการเรียกส่วนต่าง ๆ ของแขนและขาที่ขาดไปแต่กำเนิด

บทน้ำ

มาตรฐานผลิตภัณฑ์อุตสาหกรรมนี้ กำหนดขึ้นโดยรับ ISO 8548-1: 1989 Prosthetics and orthotics-Limb deficiencies-Part 1: Method of describing limb deficiencies present at birth มาใช้ในระดับเหมือนกัน ทุกประการ (identical) โดยใช้ ISO ฉบับภาษาอังกฤษเป็นหลัก

ขอบข่าย

มาตรฐานผลิตภัณฑ์อุตสาหกรรมนี้กำหนดวิธีการเรียกส่วนต่าง ๆ ของกระดูกแขนและขาที่ไม่มีการสร้างแต่กำเนิด เนื่องจากความผิดปกติทางกายวิภาคศาสตร์

เอกสารอ้างอิง

รายละเอียดให้เป็นไปตาม ISO 8548-1:1989 ข้อ 2

บทนิยาม

ความหมายของคำที่ใช้ในมาตรฐานผลิตภัณฑ์อุตสาหกรรมนี้ ให้เป็นไปตาม ISO 8548-1 : 1989 ข้อ 3

การเรียกส่วนที่ขาดหายไป

รายละเอียดให้เป็นไปตาม ISO 8548-1:1989 ข้อ 4

Introduction

Prior to 1961 there was little or no agreement over the terms used to describe congenital skeletal limb deficiencies. In that year Frantz and O'Rahilly published a classification in the USA which attempted to provide a comprehensive system of nomenclature. At the same time a different system was in use in Europe. Although both systems used terms derived from Greek roots there was little similarity. A revision of the US classification by Burtch in 1966 attempted to bridge the gap, but has been used as a third system rather than as a revised version. In 1969 Henkel and Willert produced a systemization of the German nomenclature based on a progression in the severity of the defect.

Against this background the International Society for Prosthetics and Orthotics formed an international working party in 1973 whose task was to produce a single acceptable classification. Early agreement was reached that this should apply only to those deficiencies which result from a failure of formation of parts, and should describe them in simple anatomical terms avoiding words derived from Greek or Latin roots. This working party (usually known as the Kay Committee after its Chairman, the late Hector Kay) produced such a classification which was tested in a number of centres. In brief, it describes all such deficiencies as either "transverse" or "longitudinal". The former includes all those in which the affected limb has developed proximodistally to a particular level beyond which no skeletal elements exist, and thus the limb resembles an amputation stump. Such deficiencies are described by the level at which the limb terminates: The longitudinal type of deficiency includes all other deficiencies in which one or more bones may be partially or totally absent, and in this case the absent bone(s) are individually named.

Users of this International Standard are also advised of the WHO International Classification of Impairments, Disabilities and Handicaps, published by the World Health Organization, Geneva, 1980.

Prosthetics and orthotics — Limb deficiencies —

Part 1:

Method of describing limb deficiencies present at birth

1 Scope

This part of ISO 8548 establishes a method for describing deficiencies of the upper and lower limbs present at birth.

It describes only those bone deficiencies that are due to a failure of formation of parts, and it does so on anatomical and radiological bases. No attempt has been made to attribute any etiological or epidemiological factors.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 8548. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 8548 are encouraged to investigate the possibility of applying the most recent editions of the standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 8549-1: 1989, Prosthetics and orthotics — Vocabulary — Part 1: General terms,

ISO 8549-2: 1989, Prosthetics and orthotics — Vocabulary — Part 2: Terms relating to external limb prostheses and wearers of these prostheses.

3 Definitions

For the purposes of this part of ISO 8548, the definitions given in ISO 8549-1 and ISO 8549-2 apply.

4 Description of deficiencies

4.1 General

Initially describe the deficiency as "transverse" or "longitudinal" and then describe further each type of deficiency as indicated in 4.2 or 4.3 as appropriate. In cases where a patient has deficiencies of more than one limb, describe each deficiency separately.

4.2 Transverse deficiencies

Describe transverse deficiencies as follows:

- a) State the side (left or right) of the patient affected.
- b) State the limb (upper or lower) affected.
- c) State the level of the deficiency as shown in figure 1.

4.3 Longitudinal deficiencies

Describe longitudinal deficiencies as follows and as indicated in figures 2 and 3:

- a) State the side (left or right) of the patient affected.
- b) State the limb (upper or lower) affected.
- c) For the bones of the shoulder and pelvic girdles and the long bones of the limbs, state the name of the bone(s) affected.

มอก. 2397 เล่ม 1 - 2551

ISO 8548 - 1:1989

For a metacarpal bone, a metatarsal bone and the phalanges, state the number of the digit affected. Number the metacarpals or metatarsals and the corresponding phalanges from the radial and tibial sides respectively and number the "thumb" and "great toe" as "1".

NOTE — When referring collectively to a metacarpal, or a metatarsal, and its corresponding phalanges, the term "ray" may be used.

d) State the extent of deficiency of each bone, progressing from the most proximal bone to the most distal, as follows:

1) Shoulder/pelvic girdles

State which bones are totally absent and which bones are partially absent. In the case of partial deficiencies, identify and state the part of the bone that is absent.

2) Humerus, radius and ulna; femur, tibia and fibula

State which bones are totally absent and which bones are partially absent. In the case of partial deficiencies, state the approximate fraction of the bone that is absent and the position (e.g. proximal, distal) of the deficiency.

3) Carpus; tarsus

State if the carpus or tarsus is totally absent or if it is partially absent (i.e. some carpal or tarsal bones are present).

NOTE — Further description of partial deficiencies by means of naming or enumerating individual bones may be added.

4) Metacarpals; metatarsals

State which bones are totally absent and which bones are partially absent.

 ${
m NOTE}-{
m Further}$ description of partial deficiencies by means of stating the position (i.e. proximal or distal) of the deficiency may be added.


5) Phalanges

State which phalanges are totally absent and which phalanges are partially absent.

NOTE — Further description of partial deficiencies by means of naming the affected phalanx (i.e. proximal, intermediate or distal) may be added.


 e) State the presence of hypoplasia, if appropriate, for any bone that has not been described as either totally absent or partially absent.

NOTE — Examples of various longitudinal deficiencies and their descriptions according to the principles of this Standard are given in annex A. In instances of partial longitudinal deficiencies, more detailed descriptions of the affected bones may be added, but such descriptions do not come within the scope of this part of ISO 8548.



NOTE — Total absence of the shoulder or hemipelvis (and all distal elements) is a transverse deficiency. If only a portion of the shoulder or hemipelvis is absent, the deficiency is of the longitudinal type.

Figure 1 — Designation of levels of transverse deficiencies of upper and lower limbs



¹⁾ The digits of the hand are sometimes referred to by name; that is: 1, thumb; 2, index finger; 3, middle finger; 4, ring finger, and 5, little (or small) finger. This method is deprecated because it is not equally applicable to the foot.

Figure 2 - Description of longitudinal deficiencies of upper limb




Figure 3 - Description of longitudinal deficiencies of lower limb

Annex A (informative)

Examples of description of longitudinal deficiencies



Description

Left upper limb, longitudinal Carpus: partial Ray: 3 total Phalanges: 2, 3 and 4 total









Description

Left lower limb, longitudinal Femur: partial, proximal 2/3

Fibula: total Tarsus: partial Rays: 4 and 5 total









 $\mathsf{NOTE} - \mathsf{The}$ missing parts are shown in black.

Figure 4 — Examples of longitudinal deficiency of upper limb

 $\mathsf{NOTE}-\mathsf{The}$ missing parts are shown in black.

Figure 5 — Examples of longitudinal deficiency of lower limb